

# System Anforderungen

We recommend using high quality server hardware when running Proxmox Backup in production. To further decrease the impact of a failed host, you can set up periodic, efficient, incremental datastore synchronization from other Proxmox Backup Server instances.

## Minimum Server Requirements, for Evaluation

These minimum requirements are for evaluation purposes only and should not be used in production.

- CPU: 64bit (x86-64 or AMD64), 2+ Cores
- Memory (RAM): 2 GB RAM
- Hard drive: more than 8GB of space.
- Network card (NIC)

## Recommended Server System Requirements

- CPU: Modern AMD or Intel 64-bit based CPU, with at least 4 cores
  - Memory: minimum 4 GiB for the OS, filesystem cache and Proxmox Backup Server daemons. Add at least another GiB per TiB storage space.
  - OS storage:
    - 32 GiB, or more, free storage space
    - Use a hardware RAID with battery protected write cache (*BBU*) or a redundant ZFS setup (ZFS is not compatible with a hardware RAID controller).
  - Backup storage:
    - Prefer fast storage that delivers high IOPS for random IO workloads; use only enterprise SSDs for best results.
    - If HDDs are used: Using a metadata cache is highly recommended, for example, add a ZFS special device mirror.
  - Redundant Multi-GBit/s network interface cards (NICs)
-

Revision #2  
Created 23 October 2024 10:33:56 by CoreStream Group  
Updated 23 October 2024 10:34:56 by CoreStream Group