

System Anforderungen

We recommend using high quality server hardware when running Proxmox Backup in production. To further decrease the impact of a failed host, you can set up periodic, efficient, incremental [datastore synchronization](#) from other Proxmox Backup Server instances.

Minimum Server Requirements, for Evaluation

These minimum requirements are for evaluation purposes only and should not be used in production.

- CPU: 64bit (x86-64 or AMD64), 2+ Cores
- Memory (RAM): 2 GB RAM
- Hard drive: more than 8GB of space.
- Network card (NIC)

Recommended Server System Requirements

- CPU: Modern AMD or Intel 64-bit based CPU, with at least 4 cores
 - Memory: minimum 4 GiB for the OS, filesystem cache and Proxmox Backup Server daemons. Add at least another GiB per TiB storage space.
 - OS storage:
 - 32 GiB, or more, free storage space
 - Use a hardware RAID with battery protected write cache (*BBU*) or a redundant ZFS setup (ZFS is not compatible with a hardware RAID controller).
 - Backup storage:
 - Prefer fast storage that delivers high IOPS for random IO workloads; use only enterprise SSDs for best results.
 - If HDDs are used: Using a metadata cache is highly recommended, for example, add a ZFS [special device mirror](#).
 - Redundant Multi-GBit/s network interface cards (NICs)
-

Revision #2

Created 23 October 2024 10:33:56 by CoreStream Group

Updated 23 October 2024 10:34:56 by CoreStream Group